

STIC Search Report

Biotech-Chem Library

STIC Database Tracking Number: 197679

TO: Ben Sackey
Location: 5c31 / 5c18
Art Unit: 1626
Wednesday, August 09, 2006

Case Serial Number: 10/751388

From: Noble Jarrell
Location: Biotech-Chem Library
Rem 1B71
Phone: 272-2556

Noble.jarrell@uspto.gov

Search Notes

8-208

FOR OFFICIAL USE ONLY

197679

ACCESS DB #

PLEASE PRINT CLEARLY

Scientific and Technical Information Center

SEARCH REQUEST FORM

Requester's Full Name: Ben Sackey Examiner #: 73489 Date: 8/10/06
Art Unit: 1170 Phone Number: 2-0704 Serial Number: 161751388
Location (Bldg/Room#): Room 5B31 (Mailbox #): _____ Results Format Preferred (circle): PAPER DISK

To ensure an efficient and quality search, please attach a copy of the cover sheet, claims, and abstract or fill out the following:


Title of Invention: Isotopically enriched N-substituted piperazineInventors (please provide full names): Peppin et al.

Earliest Priority Date: _____

Search Topic:

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc., if known.

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.



Y, Z are as defined in claim 1.

Note

5/15/06

STN

ISTR

10 PR

15 orl

=> b reg

FILE 'REGISTRY' ENTERED AT 10:09:23 ON 09 AUG 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 8 AUG 2006 HIGHEST RN 899769-93-8
 DICTIONARY FILE UPDATES: 8 AUG 2006 HIGHEST RN 899769-93-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006


Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> d que sta l17

L10 STR



VAR G1=AK/8

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED


NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE

L12 SCR 2039

L14 70 SEA FILE=REGISTRY SSS FUL L10 AND L12

L15 STR



VAR G1=AK/8

VAR G2=CH2/11/14/CD2/CT2

VAR G3=X/AK/8/16

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 17

STEREO ATTRIBUTES: NONE
L17 70 SEA FILE=REGISTRY SUB=L14 SSS FUL L15

100.0% PROCESSED 70 ITERATIONS 70 ANSWERS
SEARCH TIME: 00.00.01

=> b hcap
FILE 'HCAPLUS' ENTERED AT 10:09:35 ON 09 AUG 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Aug 2006 VOL 145 ISS 7
FILE LAST UPDATED: 8 Aug 2006 (20060808/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.


This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d bib abs fhitrn hitrn retable l20 tot

L20 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
AN 2005:592130 HCAPLUS
DN 143:115574
TI Preparation of isotopically enriched N-substituted piperazines
IN Pappin, Darryl J. C.; Pillai, Sasi; Coull, James M.
PA Applera Corp., USA
SO U.S. Pat. Appl. Publ., 29 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005148773	A1	20050707	2004US-0751388	20040105 <--
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				


PRAI 2004US-0751353 A 20040105
 2004US-0751354 A 20040105
 2004US-0751387 A 20040105
 2004US-0751388 A 20040105 <--
 2004US-0822639 A 20040412
 2004US-0852730 A 20040524
 OS MARPAT 143:115574
 GI



AB Isotopically enriched N-substituted piperazines (I) or salts thereof, comprising one or more heavy atom isotopes (Y = straight chain or branched C1-6 alkyl or C1-6 alkyl ether group wherein the carbon atoms of the alkyl group or alkyl ether group each independently comprise linked hydrogen, deuterium or fluorine atoms; Z = independently H, F, Cl, Br, iodine, an amino acid side chain, a straight chain or branched C1-6 alkyl group that may optionally contain a substituted or unsubstituted aryl group wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H or F atoms, a straight chain or branched C1-6 alkyl ether group that may optionally contain a substituted or unsubstituted aryl group (wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked hydrogen or fluorine atoms), or a straight chain or branched C1-6 alkoxy group that may optionally contain a substituted or unsubstituted aryl group; wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked hydrogen or fluorine atoms; wherein the N-methylpiperazine is isotopically enriched with either of ¹³C and/or ¹⁵N) are prepared N-substituted piperazines can be used as intermediates in the synthesis of N-substituted piperazine acetic acids which in turn can be used as intermediates in the synthesis of active esters of N-substituted piperazine acetic acid. The active esters of N-substituted piperazine acetic acid can be used as labeling reagents to prepare a set of isobaric labeling reagents. The set of isobaric labeling reagents can be used to label analytes such as peptides, proteins, amino acids, oligonucleotides, DNA, RNA, lipids, carbohydrates, steroids, small mols. and the like (no data). Thus, to a stirring solution of 1.18 g (11.83 mmol) N-methylpiperazine in 15 mL toluene at room temperature was added 1 g (5.91 mmol) of Et bromoacetate-1,2-¹³C dropwise, over a period of 15 min. The reaction mixture was then heated in an oil bath at 90° for 4 h, cooled to room temperature, filtered to remove the off-white solid to give, after workup on the combined filtrate and washings, 1.10 g (quant.) of 4-methylpiperazine-1-acetic acid Et ester-1,2-¹³C (II) as an off-white oil. II (1.1 g) was refluxed in water for 24 h to give 780 mg 4-methylpiperazine-1-acetic acid-1,2-¹³C.

IT 856188-37-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of isotopically enriched N-substituted piperazines as isobaric labeling reagents)

RN 856188-37-9 HCAPLUS
 CN Piperazine-2,3-¹³C2-1-¹⁵N, 4-methyl- (9CI) (CA INDEX NAME)



IT 856188-37-9P 856188-43-7P 856188-49-3P
 857502-99-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of isotopically enriched N-substituted piperazines as isobaric
 labeling reagents)

IT 856188-38-0P 856188-44-8P 856188-50-6P
 857503-04-9P 857503-05-0P 857503-06-1P
 857503-07-2P 857503-08-3P 857503-09-4P
 857503-10-7P 857503-11-8P 857503-12-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of isotopically enriched N-substituted piperazines as isobaric
 labeling reagents)

L20 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:592129 HCAPLUS

DN 143:97398

TI Preparation of active esters of N-substituted piperazine acetic acids,
 including isotopically enriched versions

IN Dey, Subhakar; Pappin, Darryl J. C.; Purkayastha, Subhasish;
 Pillai, Sasi; Coull, James M.

PA Applera Corp., USA

SO U.S. Pat. Appl. Publ., 33 pp.


CODEN: USXXCO

DT Patent

LA English

FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005148771	A1	20050707	2004US-0751354	20040105
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				
	CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				
	GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,				
	LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,				
	NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,				
	TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW,				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,				
	AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,				
	EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,				
	RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,				
	MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A	20040412		
	2004US-0852730	A	20040524		
OS	MARPAT 143:97398				
GI					



AB In some embodiments, this invention pertains to active esters of N-substituted piperazine acetic acid I (R = leaving group; X = O, S; Y = C1-C6 alkyl, C1-C6 alkyl ether; Z = H, 2H, F, Cl, Br, iodide, amino acid side chain, C1-C6 alkyl, C1-C6 alkyl ether), including isotopically enriched versions thereof. In some embodiments, this invention pertains to methods for the preparation of active esters of N-substituted piperazine acetic acid, including isotopically enriched versions thereof. For example, the isotopically labeled N-methylpiperazine II (R1 = 18OH) reacted with the trifluoroacetic acid ester of N-hydroxysuccinimide to give the succinate II (R1 = OR2, R2 = succinimido).

IT 856188-38-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of active esters of N-substituted piperazine acetic acids and their labeled derivs.)


RN 856188-38-0 HCAPLUS

CN Piperazine-2,3-13C2-1-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-37-9


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



IT 856188-38-0P 856188-44-8P 856188-50-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of active esters of N-substituted piperazine acetic acids and their labeled derivs.)

L20 ANSWER 3 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:592027 HCAPLUS


DN 143:93642
 TI Mixtures of isobarically labeled analytes and fragments ions derived therefrom
 IN Pappin, Darryl J. C.; Purkayastha, Subhasish; Coull, James M.
 PA Applera Corp., USA
 SO U.S. Pat. Appl. Publ., 36 pp., Cont.-in-part of U.S. Ser. No. 751,353.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005147985	A1	20050707	2004US-0822639	20040412
	US2005147982	A1	20050707	2004US-0751353	20040105
	US2005148087	A1	20050707	2004US-0852730	20040524
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW	
	RW:			BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG	
PRAI	2004US-0751353	A2	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A2	20040412		
	2004US-0852730	A	20040524		
OS	MARPAT 143:93642				
AB	This invention pertains to mixts. of isobarically labeled analytes and fragment ions thereof.				
IT	856188-38-0P RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (mixts. of isobarically labeled analytes and fragments ions derived therefrom)				
RN	856188-38-0 HCAPLUS				
CN	Piperazine-2,3-13C2-1-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)				

CM 1

CRN 856188-37-9


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



IT 856188-38-0P 856188-44-8P 856188-50-6P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (mixts. of isobarically labeled analytes and fragments ions derived therefrom)

L20 ANSWER 4 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:588426 HCAPLUS

DN 143:115568

TI Preparation of isotopically enriched N-substituted piperazine-1-acetic acids

IN Dey, Subhakar; Pappin, Darryl J. c.; Purkayastha, Subhasish;

Pillai, Sasi; Coull, James M.

PA Applera Corp., USA

SO U.S. Pat. Appl. Publ., 29 pp.

CODEN: USXXCO

DT Patent


LA English

FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005148774	A1	20050707	2004US-0751387	20040105
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A	20040412		
	2004US-0852730	A	20040524		

OS MARPAT 143:115568


GI



AB Isotopically enriched N-substituted piperazine-1-acetic acids (I) or salts

thereof, comprising one or more heavy atom isotopes [X = O, S; Y = straight chain or branched C1-6 alkyl or C1-6 alkyl ether group wherein the carbon atoms of the alkyl group or alkyl ether group each independently comprise linked hydrogen, deuterium or F atoms; Z = independently H, deuterium, F, Cl, Br, iodine, an amino acid side chain, a straight chain or branched C1-6 alkyl group that may optionally contain a substituted or unsubstituted aryl group (wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H, deuterium or F atoms), a straight chain or branched C1-6 alkyl ether group that may optionally contain a substituted or unsubstituted aryl group wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H, deuterium or F atoms, or a straight chain or branched C1-6 alkoxy group that may optionally contain a substituted or unsubstituted aryl group (wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H, deuterium or F atoms)] are prepared N-substituted piperazines can be used as intermediates in the synthesis of N-substituted piperazine acetic acids which in turn can be used as intermediates in the synthesis of active esters of N-substituted piperazine acetic acid. The active esters of N-substituted piperazine acetic acid can be used as labeling reagents to prepare a set of isobaric labeling reagents. The set of isobaric labeling reagents can be used to label analytes such as peptides, proteins, amino acids, oligonucleotides, DNA, RNA, lipids, carbohydrates, steroids, small mols. and the like. Thus, to a stirring solution of 1.18 g (11.83 mmol) N-methylpiperazine in 15 mL toluene at room temperature was added 1 g (5.91 mmol) of Et bromoacetate-1,2-¹³C dropwise, over a period of 15 min. The reaction mixture was then heated in an oil bath at 90° for 4 h, cooled to room temperature, filtered to remove the off-white solid to give, after workup on the combined filtrate and washings, 1.10 g (quant.) of 4-methylpiperazine-1-acetic acid Et ester-1,2-¹³C (II) as an off-white oil. II (1.1 g) was refluxed in water for 24 h to give 780 mg 4-methylpiperazine-1-acetic acid-1,2-¹³C.

IT 857502-99-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of isotopically enriched N-substituted piperazine-1-acetic acids as isobaric labeling reagents)
 RN 857502-99-9 HCAPLUS
 CN Piperazine-15N, 4-methyl-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

IT 857502-99-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of isotopically enriched N-substituted piperazine-1-acetic acids as isobaric labeling reagents)
 IT 856188-37-9P 856188-38-0P 856188-43-7P
 856188-44-8P 856188-49-3P 856188-50-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of isotopically enriched N-substituted piperazine-1-acetic acids as isobaric labeling reagents)

L20 ANSWER 5 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:588349 HCAPLUS
 DN 143:112150


TI Isobarically labeled analytes and fragment ions derived therefrom
 IN Pappin, Darryl J. C.; Purkayastha, Subhasish; Coull, James
 M.
 PA Applera Corporation, USA
 SO U.S. Pat. Appl. Publ., 88 pp., Cont.-in-part of U.S. Ser. No. 822,639.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005148087	A1	20050707	2004US-0852730	20040524
	US2005147982	A1	20050707	2004US-0751353	20040105
	US2005147985	A1	20050707	2004US-0822639	20040412
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A2	20040105		
	2004US-0822639	A2	20040412		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0852730	A	20040524		
OS	MARPAT 143:112150				
AB	This invention pertains to isobarically labeled analytes and fragment ions thereof.				
IT	856188-38-0P RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (isobarically labeled analytes and fragment ions derived therefrom)				
RN	856188-38-0 HCAPLUS				
CN	Piperazine-2,3- ¹³ C ₂ -1- ¹⁵ N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)				

CM 1

CRN 856188-37-9


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



IT 856188-38-0P 856188-44-8P 856188-50-6P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (isobarically labeled analytes and fragment ions derived therefrom)
 IT 741683-84-1P, 1-Piperazineacetic-carboxy-13C acid
 741683-85-2P, 1-Piperazineacetic- α -13C acid
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (isobarically labeled analytes and fragment ions derived therefrom)

L20 ANSWER 6 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:588336 HCAPLUS

DN 143:93635

TI Mixtures of isobarically labeled analytes and fragments ions derived therefrom

IN Pappin, Darryl J. C.; Purkayastha, Subhasish; Coull, James M.

PA Applera Corporation, USA

SO U.S. Pat. Appl. Publ., 29 pp.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005147982	A1	20050707	2004US-0751353	20040105
	US2005147985	A1	20050707	2004US-0822639	20040412
	US2005148087	A1	20050707	2004US-0852730	20040524
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A2	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A2	20040412		
	2004US-0852730	A	20040524		

AB This invention pertains to mixts. of isobarically labeled analytes and fragment ions thereof.

IT 856188-50-6P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (mixts. of isobarically labeled analytes and fragments ions derived therefrom)


RN 856188-50-6 HCAPLUS

CN Piperazine-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-49-3


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



IT 856188-50-6P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (mixts. of isobarically labeled analytes and fragments ions derived therefrom)

IT 856188-38-0P 856188-44-8P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (mixts. of isobarically labeled analytes and fragments ions derived therefrom)

L20 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2004:681717 HCAPLUS

DN 141:202794

TI Methods, mixtures, kits and compositions pertaining to analyte determination

IN Pappin, Darryl J. C.; Bartlet-Jones, Michael

PA Applera Corporation, USA

SO PCT Int. Appl., 105 pp.

CODEN: PIXXD2


DT Patent

LA English

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO2004070352	A2	20040819	2004WO-US02077	20040127
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU2004209401-	A1	20040819	2004AU-0209401	20040127
CA---2488584	AA	20040819	2004CA-2488584	20040127
US2004219685	A1	20041104	2004US-0765264	20040127
US2004220412	A1	20041104	2004US-0765267	20040127
US2004219686	A1	20041104	2004US-0765458	20040127
EP---1588145	A2	20051026	2004EP-0705571	20040127
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
US2006105416	A1	20060518	2005US-0319685	20051228

PRAI 2003US-443612P P 20030130
 2004US-0765267 A1 20040127
 2004WO-US02077 W 20040127
 AB This invention pertains to methods, mixts., kits and/or compns. for the determination of analytes by mass anal. using unique labeling reagents or sets of unique labeling reagents. The labeling reagents can be isomeric or isobaric and can be used to produce mixts. suitable for multiplex anal. of the labeled analytes.
 IT 741683-84-1P, 1-Piperazineacetic-carboxy-13C acid
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (methods, mixts., kits and compns. pertaining to analyte determination)
 RN 741683-84-1 HCAPLUS
 CN 1-Piperazineacetic-carboxy-13C acid (9CI) (CA INDEX NAME)




IT 741683-84-1P, 1-Piperazineacetic-carboxy-13C acid
 741683-85-2P, 1-Piperazineacetic- α -13C acid
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (methods, mixts., kits and compns. pertaining to analyte determination)

=> d bib abs hitstr retable 120 tot

L20 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:592130 HCAPLUS
 DN 143:115574
 TI Preparation of isotopically enriched N-substituted piperazines
 IN Pappin, Darryl J. C.; Pillai, Sasi; Coull, James M.
 PA Applera Corp., USA
 SO U.S. Pat. Appl. Publ., 29 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US2005148773	A1	20050707	2004US-0751388	20040105 <--
WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI 2004US-0751353	A	20040105		
2004US-0751354	A	20040105		
2004US-0751387	A	20040105		
2004US-0751388	A	20040105	<--	
2004US-0822639	A	20040412		
2004US-0852730	A	20040524		

OS MARPAT 143:115574
GI



AB Isotopically enriched N-substituted piperazines (I) or salts thereof, comprising one or more heavy atom isotopes (Y = straight chain or branched C1-6 alkyl or C1-6 alkyl ether group wherein the carbon atoms of the alkyl group or alkyl ether group each independently comprise linked hydrogen, deuterium or fluorine atoms; Z = independently H, F, Cl, Br, iodine, an amino acid side chain, a straight chain or branched C1-6 alkyl group that may optionally contain a substituted or unsubstituted aryl group wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H or F atoms, a straight chain or branched C1-6 alkyl ether group that may optionally contain a substituted or unsubstituted aryl group (wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked hydrogen or fluorine atoms), or a straight chain or branched C1-6 alkoxy group that may optionally contain a substituted or unsubstituted aryl group; wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked hydrogen or fluorine atoms; wherein the N-methylpiperazine is isotopically enriched with either of ¹³C and/or ¹⁵N) are prepared N-substituted piperazines can be used as intermediates in the synthesis of N-substituted piperazine acetic acids which in turn can be used as intermediates in the synthesis of active esters of N-substituted piperazine acetic acid. The active esters of N-substituted piperazine acetic acid can be used as labeling reagents to prepare a set of isobaric labeling reagents. The set of isobaric labeling reagents can be used to label analytes such as peptides, proteins, amino acids, oligonucleotides, DNA, RNA, lipids, carbohydrates, steroids, small mols. and the like (no data). Thus, to a stirring solution of 1.18 g (11.83 mmol) N-methylpiperazine in 15 mL toluene at room temperature was added 1 g (5.91 mmol) of Et bromoacetate-1,2-¹³C dropwise, over a period of 15 min. The reaction mixture was then heated in an oil bath at 90° for 4 h, cooled to room temperature, filtered to remove the off-white solid to give, after workup on the combined filtrate and washings, 1.10 g (quant.) of 4-methylpiperazine-1-acetic acid Et ester-1,2-¹³C (II) as an off-white oil. II (1.1 g) was refluxed in water for 24 h to give 780 mg 4-methylpiperazine-1-acetic acid-1,2-¹³C.


IT 856188-37-9P 856188-43-7P 856188-49-3P
857502-99-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation of isotopically enriched N-substituted piperazines as isobaric labeling reagents)

RN 856188-37-9 HCAPLUS


CN Piperazine-2,3-¹³C2-1-¹⁵N, 4-methyl- (9CI) (CA INDEX NAME)




RN 856188-43-7 HCAPLUS
 CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl- (9CI) (CA INDEX NAME)



RN 856188-49-3 HCAPLUS
 CN Piperazine-15N, 4-methyl- (9CI) (CA INDEX NAME)



RN 857502-99-9 HCAPLUS
 CN Piperazine-15N, 4-methyl-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


IT 856188-38-0P 856188-44-8P 856188-50-6P
 857503-04-9P 857503-05-0P 857503-06-1P
 857503-07-2P 857503-08-3P 857503-09-4P
 857503-10-7P 857503-11-8P 857503-12-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of isotopically enriched N-substituted piperazines as isobaric
 labeling reagents)

RN 856188-38-0 HCAPLUS
 CN Piperazine-2,3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA
 INDEX NAME)

CM 1


CRN 856188-37-9

CMF C5 H12 N2



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 856188-44-8 HCAPLUS
CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-43-7
CMF C5 H12 N2



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 856188-50-6 HCAPLUS
CN Piperazine-1⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-49-3
CMF C5 H12 N2




CM 2


CRN 76-05-1
CMF C2 H F3 O2




RN 857503-04-9 HCAPLUS
 CN Piperazine-2,3-¹³C₂, 1-methyl- (9CI) (CA INDEX NAME)




RN 857503-05-0 HCAPLUS
 CN Piperazine-¹³C₃, 1-methyl- (9CI) (CA INDEX NAME)




RN 857503-06-1 HCAPLUS
 CN Piperazine-¹³C₃, 4-methyl- (9CI) (CA INDEX NAME)




RN 857503-07-2 HCAPLUS
 CN Piperazine-¹³C₄, 1-methyl- (9CI) (CA INDEX NAME)




RN 857503-08-3 HCAPLUS
 CN Piperazine-2,3,6-¹³C₃-1-¹⁵N, 4-methyl- (9CI) (CA INDEX NAME)




RN 857503-09-4 HCAPLUS
 CN Piperazine-2,3,5-13C3-1-15N, 4-methyl- (9CI) (CA INDEX NAME)




RN 857503-10-7 HCAPLUS
 CN Piperazine-13C4-15N, 4-methyl- (9CI) (CA INDEX NAME)



RN 857503-11-8 HCAPLUS
 CN Piperazine-2-13C-1-15N, 4-methyl- (9CI) (CA INDEX NAME)




RN 857503-12-9 HCAPLUS
 CN Piperazine-13C, 4-methyl- (9CI) (CA INDEX NAME)



L20 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:592129 HCAPLUS

DN 143:97398
 TI Preparation of active esters of N-substituted piperazine acetic acids,
 including isotopically enriched versions
 IN Dey, Subhakar; Pappin, Darryl J. C.; Purkayastha, Subhasish;
 Pillai, Sasi; Coull, James M.
 PA Applera Corp., USA
 SO U.S. Pat. Appl. Publ., 33 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005148771	A1	20050707	2004US-0751354	20040105
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A	20040412		
	2004US-0852730	A	20040524		
OS	MARPAT 143:97398				
GI					



AB In some embodiments, this invention pertains to active esters of N-substituted piperazine acetic acid I (R = leaving group; X = O, S; Y = C1-C6 alkyl, C1-C6 alkyl ether; Z = H, 2H, F, Cl, Br, iodide, amino acid side chain, C1-C6 alkyl, C1-C6 alkyl ether), including isotopically enriched versions thereof. In some embodiments, this invention pertains to methods for the preparation of active esters of N-substituted piperazine acetic acid, including isotopically enriched versions thereof. For example, the isotopically labeled N-methylpiperazine II (R1 = 18OH) reacted with the trifluoroacetic acid ester of N-hydroxysuccinimide to give the succinate II (R1 = OR2, R2 = succinimido).


IT 856188-38-0P 856188-44-8P 856188-50-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of active esters of N-substituted piperazine acetic acids and their labeled derivs.)

RN 856188-38-0 HCAPLUS

CN Piperazine-2,3-13C2-1-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-37-9
CMF C5 H12 N2



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 856188-44-8 HCAPLUS
CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-43-7
CMF C5 H12 N2



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 856188-50-6 HCAPLUS
CN Piperazine-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1


CRN 856188-49-3
CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



L20 ANSWER 3 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:592027 HCAPLUS
 DN 143:93642
 TI Mixtures of isobarically labeled analytes and fragments ions derived therefrom
 IN Pappin, Darryl J. C.; Purkayastha, Subhasish; Coull, James M.
 PA Applera Corp., USA
 SO U.S. Pat. Appl. Publ., 36 pp., Cont.-in-part of U.S. Ser. No. 751,353.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005147985	A1	20050707	2004US-0822639	20040412
	US2005147982	A1	20050707	2004US-0751353	20040105
	US2005148087	A1	20050707	2004US-0852730	20040524
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A2	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A2	20040412		
	2004US-0852730	A	20040524		
OS	MARPAT 143:93642				
AB	This invention pertains to mixts. of isobarically labeled analytes and fragment ions thereof.				
IT	856188-38-0P 856188-44-8P 856188-50-6P				
	RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)				

(mixts. of isobarically labeled analytes and fragments ions derived therefrom)


RN 856188-38-0 HCAPLUS

CN Piperazine-2,3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-37-9


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 856188-44-8 HCAPLUS

CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-43-7


CMF C5 H12 N2



CM 2

CRN 76-05-1


CMF C2 H F3 O2



RN 856188-50-6 HCAPLUS
 CN Piperazine-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-49-3
 CMF C5 H12 N2



CM 2


CRN 76-05-1
 CMF C2 H F3 O2



L20 ANSWER 4 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:588426 HCAPLUS
 DN 143:115568
 TI Preparation of isotopically enriched N-substituted piperazine-1-acetic acids
 IN Dey, Subhakar; Pappin, Darryl J. c.; Purkayastha, Subhasish; Pillai, Sasi; Coull, James M.
 PA Applera Corp., USA
 SO U.S. Pat. Appl. Publ., 29 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005148774	A1	20050707	2004US-0751387	20040105
	WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2004US-0751353	A	20040105		
	2004US-0751354	A	20040105		
	2004US-0751387	A	20040105		
	2004US-0751388	A	20040105	<--	
	2004US-0822639	A	20040412		
	2004US-0852730	A	20040524		
OS	MARPAT 143:115568				

GI




AB Isotopically enriched N-substituted piperazine-1-acetic acids (I) or salts thereof, comprising one or more heavy atom isotopes [X = O, S; Y = straight chain or branched C1-6 alkyl or C1-6 alkyl ether group wherein the carbon atoms of the alkyl group or alkyl ether group each independently comprise linked hydrogen, deuterium or F atoms; Z = independently H, deuterium, F, Cl, Br, iodine, an amino acid side chain, a straight chain or branched C1-6 alkyl group that may optionally contain a substituted or unsubstituted aryl group (wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H, deuterium or F atoms), a straight chain or branched C1-6 alkyl ether group that may optionally contain a substituted or unsubstituted aryl group wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H, deuterium or F atoms, or a straight chain or branched C1-6 alkoxy group that may optionally contain a substituted or unsubstituted aryl group (wherein the carbon atoms of the alkyl and aryl groups each independently comprise linked H, deuterium or F atoms)] are prepared N-substituted piperazines can be used as intermediates in the synthesis of N-substituted piperazine acetic acids which in turn can be used as intermediates in the synthesis of active esters of N-substituted piperazine acetic acid. The active esters of N-substituted piperazine acetic acid can be used as labeling reagents to prepare a set of isobaric labeling reagents. The set of isobaric labeling reagents can be used to label analytes such as peptides, proteins, amino acids, oligonucleotides, DNA, RNA, lipids, carbohydrates, steroids, small mols. and the like. Thus, to a stirring solution of 1.18 g (11.83 mmol) N-methylpiperazine in 15 mL toluene at room temperature was added 1 g (5.91 mmol) of Et bromoacetate-1,2-13C dropwise, over a period of 15 min. The reaction mixture was then heated in an oil bath at 90° for 4 h, cooled to room temperature, filtered to remove the off-white solid to give, after workup on the combined filtrate and washings, 1.10 g (quant.) of 4-methylpiperazine-1-acetic acid Et ester-1,2-13C (II) as an off-white oil. II (1.1 g) was refluxed in water for 24 h to give 780 mg 4-methylpiperazine-1-acetic acid-1,2-13C.

IT 857502-99-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of isotopically enriched N-substituted piperazine-1-acetic acids as isobaric labeling reagents)


RN 857502-99-9 HCAPLUS

CN Piperazine-15N, 4-methyl-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


IT 856188-37-9P 856188-38-0P 856188-43-7P
 856188-44-8P 856188-49-3P 856188-50-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of isotopically enriched N-substituted piperazine-1-acetic
 acids as isobaric labeling reagents)
 RN 856188-37-9 HCAPLUS
 CN Piperazine-2,3-¹³C₂-1-¹⁵N, 4-methyl- (9CI) (CA INDEX NAME)



RN 856188-38-0 HCAPLUS
 CN Piperazine-2,3-¹³C₂-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA
 INDEX NAME)


CM 1

CRN 856188-37-9
 CMF C5 H12 N2




CM 2

CRN 76-05-1
 CMF C2 H F3 O2



RN 856188-43-7 HCAPLUS
 CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl- (9CI) (CA INDEX NAME)




RN 856188-44-8 HCAPLUS
 CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX
 NAME)

CM 1

CRN 856188-43-7


CMF C5 H12 N2



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 856188-49-3 HCAPLUS

CN Piperazine-15N, 4-methyl- (9CI) (CA INDEX NAME)




RN 856188-50-6 HCAPLUS

CN Piperazine-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-49-3


CMF C5 H12 N2



CM 2


CRN 76-05-1

CMF C2 H F3 O2



L20 ANSWER 5 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:588349 HCAPLUS
 DN 143:112150
 TI Isobarically labeled analytes and fragment ions derived therefrom
 IN Pappin, Darryl J. C.; Purkayastha, Subhasish; Coull, James
 M.
 PA Applera Corporation, USA
 SO U.S. Pat. Appl. Publ., 88 pp., Cont.-in-part of U.S. Ser. No. 822,639.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US2005148087	A1	20050707	2004US-0852730	20040524
US2005147982	A1	20050707	2004US-0751353	20040105
US2005147985	A1	20050707	2004US-0822639	20040412
WO2005068446	A1	20050728	2005WO-US00223	20050105 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
PRAI 2004US-0751353	A2	20040105		
2004US-0822639	A2	20040412		
2004US-0751354	A	20040105		
2004US-0751387	A	20040105		
2004US-0751388	A	20040105	<--	
2004US-0852730	A	20040524		
OS	MARPAT 143:112150			
AB	This invention pertains to isobarically labeled analytes and fragment ions thereof.			
IT	856188-38-0P 856188-44-8P 856188-50-6P RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (isobarically labeled analytes and fragment ions derived therefrom)			
RN	856188-38-0 HCAPLUS			
CN	Piperazine-2,3-13C2-1-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)			
CM	1			
CRN	856188-37-9			
CMF	C5 H12 N2			



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 856188-44-8 HCAPLUS

CN Piperazine-3-13C-1-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-43-7


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 856188-50-6 HCAPLUS

CN Piperazine-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-49-3


CMF C5 H12 N2




CM 2

CRN 76-05-1


CMF C2 H F3 O2



IT 741683-84-1P, 1-Piperazineacetic-carboxy-13C acid
 741683-85-2P, 1-Piperazineacetic- α -13C acid
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (isobarically labeled analytes and fragment ions derived therefrom)
 RN 741683-84-1 HCAPLUS
 CN 1-Piperazineacetic-carboxy-13C acid (9CI) (CA INDEX NAME)



RN 741683-85-2 HCAPLUS
 CN 1-Piperazineacetic- α -13C acid (9CI) (CA INDEX NAME)



L20 ANSWER 6 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:588336 HCAPLUS
 DN 143:93635
 TI Mixtures of isobarically labeled analytes and fragments ions derived
 therefrom
 IN Pappin, Darryl J. C.; Purkayastha, Subhasish; Coull, James
 M.
 PA Applera Corporation, USA
 SO U.S. Pat. Appl. Publ., 29 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2005147982	A1	20050707	2004US-0751353	20040105

US2005147985 A1 20050707 2004US-0822639 20040412
 US2005148087 A1 20050707 2004US-0852730 20040524
 WO2005068446 A1 20050728 2005WO-US00223 20050105 <--

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
 NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
 TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
 AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
 EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
 RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
 MR, NE, SN, TD, TG

PRAI 2004US-0751353 A2 20040105
 2004US-0751354 A 20040105
 2004US-0751387 A 20040105
 2004US-0751388 A 20040105 <--
 2004US-0822639 A2 20040412
 2004US-0852730 A 20040524

AB This invention pertains to mixts. of isobarically labeled analytes and fragment ions thereof.

IT 856188-50-6P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (mixts. of isobarically labeled analytes and fragments ions derived therefrom)


RN 856188-50-6 HCAPLUS

CN Piperazine-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 856188-49-3


CMF C5 H12 N2



CM 2

CRN 76-05-1

CMF C2 H F3 O2




IT 856188-38-0P 856188-44-8P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (mixts. of isobarically labeled analytes and fragments ions derived therefrom)

RN 856188-38-0 HCAPLUS

CN Piperazine-2,3-13C2-1-15N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-37-9
CMF C5 H12 N2



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 856188-44-8 HCAPLUS
CN Piperazine-3-¹³C-1-¹⁵N, 4-methyl-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 856188-43-7
CMF C5 H12 N2



CM 2


CRN 76-05-1
CMF C2 H F3 O2




L20 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2006 ACS on STN
AN 2004:681717 HCAPLUS
DN 141:202794
TI Methods, mixtures, kits and compositions pertaining to analyte determination
IN Pappin, Darryl J. C.; Bartlet-Jones, Michael

PA Applera Corporation, USA
 SO PCT Int. Appl., 105 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2004070352	A2	20040819	2004WO-US02077	20040127
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU2004209401	A1	20040819	2004AU-0209401	20040127
	CA---2488584	AA	20040819	2004CA-2488584	20040127
	US2004219685	A1	20041104	2004US-0765264	20040127
	US2004220412	A1	20041104	2004US-0765267	20040127
	US2004219686	A1	20041104	2004US-0765458	20040127
	EP---1588145	A2	20051026	2004EP-0705571	20040127
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	US2006105416	A1	20060518	2005US-0319685	20051228
PRAI	2003US-443612P	P	20030130		
	2004US-0765267	A1	20040127		
	2004WO-US02077	W	20040127		
AB	This invention pertains to methods, mixts., kits and/or compns. for the determination of analytes by mass anal. using unique labeling reagents or sets of unique labeling reagents. The labeling reagents can be isomeric or isobaric and can be used to produce mixts. suitable for multiplex anal. of the labeled analytes.				
IT	741683-84-1P, 1-Piperazineacetic-carboxy-13C acid				
	741683-85-2P, 1-Piperazineacetic- α -13C acid				
	RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)				
	(methods, mixts., kits and compns. pertaining to analyte determination)				
RN	741683-84-1 HCAPLUS				
CN	1-Piperazineacetic-carboxy-13C acid (9CI) (CA INDEX NAME)				



RN 741683-85-2 HCAPLUS
 CN 1-Piperazineacetic- α -13C acid (9CI) (CA INDEX NAME)



=> d his

(FILE 'HOME' ENTERED AT 09:55:12 ON 09 AUG 2006)

noble jarrell 09/08/2006

FILE 'HCAPLUS' ENTERED AT 09:55:31 ON 09 AUG 2006
L1 6 US2005148773/PN OR (US2004-751388 OR WO2004-US223)/AP, PRN
E PAPPIN D/AU
L2 110 E3-10
E PILLAI S/AU
L3 278 E3-22
E PILLAI SASI/AU
L4 11 E3-4
E COULL J/AU
L5 150 E3-10
L6 437 APPLERA/CS, PA

FILE 'REGISTRY' ENTERED AT 09:57:56 ON 09 AUG 2006

FILE 'HCAPLUS' ENTERED AT 09:58:00 ON 09 AUG 2006
L7 TRA L1 1- RN : 138 TERMS

FILE 'REGISTRY' ENTERED AT 09:58:01 ON 09 AUG 2006
L8 138 SEA L7
L9 73 L8 AND NC2NC2/ES
L10 STR
L11 50 L10
L12 SCR 2039
L13 1 L10 AND L12
L14 70 L10 AND L12 FULL
SAV TEM L14 SAC388F0/A
L15 STR L10
L16 1 L15 SAM SUB=L14
L17 70 L15 FULL SUB=L14

FILE 'HCAPLUS' ENTERED AT 10:07:20 ON 09 AUG 2006

FILE 'REGISTRY' ENTERED AT 10:07:30 ON 09 AUG 2006
L18 18 L17 AND L8

FILE 'HCAPLUS' ENTERED AT 10:07:42 ON 09 AUG 2006
L19 38 L17
L20 7 L19 AND L1-6
L21 31 L19 NOT L20

FILE 'HCAOLD' ENTERED AT 10:08:19 ON 09 AUG 2006
L22 0 L17

FILE 'HCAPLUS' ENTERED AT 10:08:30 ON 09 AUG 2006
L23 27 L21 AND (PY<=2004 OR AY<=2004 OR PRY<=2004)
L24 31 L21, L23

=>